

Volume 2 Issue 1



International Journal of Social Work and Development Studies (IJSDS)



**DEPARTMENT OF SOCIAL WORK
FACULTY OF SOCIAL SCIENCES
RIVERS STATE UNIVERSITY**

**EMOHUA CAMPUS, P.M.B 5080, PORT HARCOURT
RIVERS STATE NIGERIA**

**International Journal
of Social Work
and Development Studies (IJSDS)**
Vol 2 Issue 1

editor@ijsds.org
www.ijsds.org
editor.ijsds@gmail.com
+234 808 022 4405

**ADDRESSING THE PSYCHOSOCIAL CONSEQUENCES
OF KIDNAPPING AND BANDITRY: THE CRITICAL
ROLE OF MEDICAL SOCIAL WORKERS
IN VICTIM REHABILITATION**

VICTOR EDE ITITA

Department of Social Work

University of Calabar,

victorede85@gmail.com

ORCID: 0009-0009-0047-5894

08036902176

ASUQUO, FELIX JAMES

Department of Social Work

University of Calabar

felixjames45@gmail.com

07031825588

ABSTRACT

The upsurge in abductions, kidnapping, and banditry in Nigeria has generated widespread concern among policymakers, healthcare professionals, social workers, and security agencies. Kidnapping and banditry have gone beyond conventional crimes and now have threatening ramifications to the national security of Nigeria. Kidnapping and banditry have become significant security and public health concerns in Nigeria, leaving victims with profound psychological, social, emotional, and physical consequences. Survivors often experience trauma, anxiety, depression, post-traumatic stress disorder (PTSD), social dislocation, and economic hardship that require comprehensive rehabilitation services. While security responses focus primarily on rescue and law enforcement, the long-term recovery of victims depends significantly on psychosocial interventions. This paper examines the psychosocial consequences of kidnapping and banditry and highlights the indispensable role of medical social workers in the rehabilitation process. Drawing on the Psychosocial Theory of Human Development and the Strengths-Based Perspective, the paper explores how medical social workers facilitate psychological recovery, family support, community reintegration, advocacy, and multidisciplinary care coordination. The paper concludes that strengthening medical social work services within healthcare institutions is essential for improving rehabilitation outcomes among victims of kidnapping and banditry in Nigeria.

Keywords: Medical Social Work, Kidnapping, Banditry, Psychosocial Consequences, Victim Rehabilitation.

1.0 INTRODUCTION

Across Nigeria, the sharp rise in kidnapping and banditry incidents has become a matter of urgent concern for policymakers, healthcare professionals, social workers, and security agencies alike. These crimes have long since outgrown their classification as conventional offences, now carrying serious ramifications for the national security of Nigeria. Banditry and kidnapping have emerged as the new bogeyman for insecurity in Nigeria, joining a long and still growing list that includes Boko Haram, cultists, armed herdsmen, militants and so on (Nasir, Ishak, & Anas, 2023). Initially concentrated in specific regions, these crimes have evolved into national security challenges affecting virtually all parts of the country. According to the United Nations Office on Drugs and Crime (UNODC, 2023), kidnapping has become one of the fastest-growing organized criminal activities in many developing countries, with devastating effects on victims and their families.

Insecurity is a threat to the development in Nigeria (Ede et al., 2026). The impact of kidnapping and banditry extends beyond physical injuries and financial losses. Victims often suffer severe psychological trauma, social disintegration, emotional instability, and diminished quality of life (WHO, 2022). The experiences of captivity, torture, threats, uncertainty, and violence frequently result in long-lasting psychosocial challenges that hinder normal functioning and reintegration into society.

Within healthcare settings, medical social workers occupy a strategic position in addressing these challenges. As members of multidisciplinary healthcare teams, medical social workers provide psychosocial assessment, counseling, advocacy, crisis intervention, discharge planning, and rehabilitation support for trauma survivors (Zastrow, 2022). Their role becomes particularly critical in helping victims of kidnapping and banditry navigate the complex recovery process.

This paper examines the psychosocial consequences of kidnapping and banditry and explores the vital role of medical social workers in victim rehabilitation.

1.1. Objectives of the Study

The broad objective of this paper is to examine the psychosocial consequences of kidnapping and banditry and the critical role of medical social workers in the rehabilitation of victims in Nigeria.

The specific objectives are to:

1. Examine the psychosocial consequences of kidnapping and banditry on victims.
2. Assess the role of medical social workers in the rehabilitation and reintegration of victims.
3. Identify the challenges confronting medical social workers in providing rehabilitation services to victims.
4. Explore strategies for strengthening medical social work interventions in victim rehabilitation.

1.2. Significance of the Study

The significance of this study lies in its contribution to understanding the often-overlooked psychosocial dimensions of kidnapping and banditry in Nigeria. As security responses have focused largely on law enforcement and prevention, the rehabilitation needs of survivors remain insufficiently addressed.

This study will profit policymakers by providing evidence for the formulation of victim-centered rehabilitation policies. Healthcare professionals will secure insights into the psychosocial needs of victims and the importance of integrating social work services into trauma care. The study will also enhance the literature on medical social work practice, psychosocial support in conflict-affected settings and victim rehabilitation. Additionally, non-governmental organizations, humanitarian agencies, and community-based organizations could utilize the findings to design ef-

fective rehabilitation programmes for survivors.

2.0 LITERATURE REVIEW

1. Kidnapping and Banditry in Nigeria

Kidnapping and banditry have emerged as pervasive security threats in Nigeria over the past two decades. Initially concentrated in the Niger Delta region, kidnapping has spread across the country and evolved into a lucrative criminal enterprise (UNODC, 2023). Similarly, banditry has become widespread in several northern states, resulting in mass displacement, loss of lives, and destruction of livelihoods (Okoli & Lenshie, 2018).

Kidnapping refers to the unlawful seizure and detention of an individual against his or her will for purposes such as ransom, political influence, coercion, or criminal exploitation (UNODC, 2023). Asuquo (2009) asserts that kidnapping is difficult to define with precision, because it varies from state to state and jurisdiction to jurisdiction. It is the forcible seizure, taking away and unlawful detention of a person against their will. The primary motivation for kidnapping is financial gain attached to the act. Several victims of kidnapping have suffered severe financial and psychological strain due to the whopping demands by kidnappers. In most cases, victims whose families are unable to pay their ransom have been cruelly murdered in cold blood.

Okoli & Lenshie, (2018) refers to banditry as encompassing organized criminal activities involving armed attacks, cattle rustling, village raids, abductions, robbery, and other forms of violence perpetrated by armed groups. Banditry is occurrence or prevalence of armed robbery or violent crime. It involves the use of force, or threat to that effect, to intimidate a person with the intent to rob, rape or kill. Banditry is a crime against persons. It has been a common genre of crime, as well as cause violence in contemporary societies

(Nigeria Watch, 2011). Shalangwa (2013) regards banditry as the practice of raiding and attacking victims by members of an armed group, whether or not premeditated, using weapons of offence or defense, especially in semi-organized groups for the purpose of overpowering the victim and obtaining loot or achieving some political goals.

Bandits are perceived to be outlaw groups who terrorize local communities, kidnap for ransom and steal from travellers using illegal weapons. They are desperate and lawless marauders without definite residence or destination that roam the forest and mountains to avoid being identified, detected and arrested. Okoli and Okpaleke (2014) referred to the incidences of armed robbery or allied violent crimes, such as kidnapping, cattle rustling, and village or market raids. It involves the use of force, or threat to that effect, to intimidate a person or a group of persons in order to rob, rape or kill.

According to the National Bureau of Statistics (2024), thousands of Nigerians have been affected by kidnapping-related incidents, with many victims experiencing severe physical and psychological trauma. These developments have created significant humanitarian and public health concerns.

2. Traumatic victimization

Traumatic victimization often produces complex psychological and social outcomes. While the immediate physical harm caused by criminal acts is often visible, the psychological impact can be long-lasting, complex, and debilitating. Research indicates that survivors of violent crimes frequently experience PTSD, depression, anxiety disorders, emotional distress, and impaired social functioning (WHO, 2022). The disorder can develop after exposure to life-threatening events, sexual or physical assault, domestic violence, or witnessing extreme violence. Symptoms typically cluster into re-experiencing, avoidance, negative alterations in cognition and mood, and hyperarousal.

Re-experiencing may involve flashbacks, nightmares, or distressing memories, while avoidance can manifest as reluctance to engage with reminders of the trauma. Hyperarousal often presents as irritability, heightened startle responses, sleep disturbances, and difficulty concentrating (Kim G, 2025)

Prolonged captivity, exposure to violence, and uncertainty regarding survival significantly increase the risk of psychological disorders. Victims may experience intrusive thoughts, heightened arousal, avoidance behaviors, emotional numbness, and disruptions in daily functioning (Yehuda et al., 2015). Social consequences may include stigma, family dysfunction, social withdrawal, reduced trust, and difficulties in community reintegration (Isma'il & Ibrahim, 2024; Alokun & Atafo, 2023). Economic hardships arising from ransom payments, job loss, and medical expenses further compound victims' vulnerabilities.

3. Psychosocial Consequences of Kidnapping and Banditry

• Psychological Consequences

Victims of kidnapping and banditry commonly experience various psychological disorders. Post-Traumatic Stress Disorder (PTSD), depression, anxiety disorders, panic attacks, sleep disturbances, and emotional instability are among the most frequently reported conditions (WHO, 2022).

Studies indicate that survivors often experience intrusive memories, nightmares, hypervigilance, fearfulness, and persistent emotional distress long after their release (Alokun & Atafo, 2023). The uncertainty associated with captivity often contributes significantly to long-term psychological trauma.

• Social Consequences

The social effects of kidnapping and banditry are equally profound. Victims frequently experience social withdrawal, family conflict, stigmatization, loss of social support, and reduced participation in com-

munity activities (Okoli & Lenshie, 2018). Some survivors develop distrust toward individuals and institutions, thereby undermining social cohesion and interpersonal relationships.

• Economic Consequences

Many victims face financial difficulties arising from ransom payments, medical expenses, loss of employment, destruction of property, and reduced productivity. These economic challenges may prolong recovery and increase vulnerability to poverty and social exclusion (UNDP, 2022).

• Health-Related Consequences

Victims may suffer physical injuries, malnutrition, chronic pain, disability, hypertension, and other stress-related conditions resulting from captivity and violence. Such conditions often require long-term medical attention and psychosocial support (WHO, 2022).

4. The Role of Medical Social Workers in Victim Rehabilitation

Social work is a long-established profession in health care (Gehlert et al., 2019). Medical social work is a specialized branch of social work that focuses on addressing the psychosocial, emotional, and environmental factors affecting patients' health and recovery. Medical social workers assist patients and families in coping with illness, trauma, disability, and social challenges through counseling, advocacy, care coordination, and rehabilitation services (Barker, 2014). Medical social work focuses on addressing the psychosocial dimensions of health and illness. Medical social workers help patients cope with trauma, access resources, navigate healthcare systems, and achieve successful rehabilitation (Barker, 2014). They are part of an interprofessional team and address the psychosocial needs of patients while taking a bio-psycho-social perspective (Dettmers et al., 2018)

Victim rehabilitation refers to structured interven-

tions aimed at restoring the physical, psychological, social, and economic well-being of individuals who have experienced traumatic events or victimization (WHO, 2022). In situations involving kidnapping and banditry, medical social workers play a central role in conducting psychosocial assessments, providing counseling services, coordinating care, advocating for victims, and facilitating reintegration into family and community life (Payne, 2021).

Some critical role of medical social workers may include:

- **Psychosocial Assessment:** One of the primary responsibilities of medical social workers is conducting comprehensive psychosocial assessments. Upon admission or referral, medical social workers evaluate victims' psychological status, family circumstances, social support systems, financial needs, and environmental challenges (Barker, 2014). These assessments provide valuable information for developing individualized treatment and rehabilitation plans.
- **Trauma Counseling and Emotional Support:** Medical social workers provide therapeutic counseling aimed at helping victims process traumatic experiences, manage emotions, and develop coping strategies. Through individual and group counseling sessions, survivors are assisted in addressing fear, grief, anxiety, and depression associated with their experiences (Payne, 2021). Trauma-informed counseling contributes significantly to emotional stabilization and psychological recovery.
- **Crisis Intervention:** Victims rescued from kidnappers or bandits often present in acute psychological distress. Medical social workers provide immediate crisis intervention services designed to reduce emotional instability, restore safety, and prevent further psychological deterioration (Roberts, 2017). Interventions such as these are specifically crucial during the early stages of rehabilitation.
- **Family Counseling and Support:** Kidnapping and banditry frequently affect not only victims but also their families. Family members often experience anxiety, grief, guilt, and financial strain during periods of captivity. Medical social workers facilitate family counseling sessions that promote communication, emotional support, conflict resolution, and family reunification (Zastrow, 2022).
- **Care Coordination and Multidisciplinary Collaboration:** Medical social workers serve as essential members of multidisciplinary healthcare teams. They collaborate with physicians, psychiatrists, psychologists, nurses, physiotherapists, and community organizations to ensure comprehensive care for victims (Barker, 2014). Through effective care coordination, medical social workers help ensure continuity of treatment and rehabilitation services.
- **Advocacy for Victims' Rights:** Medical social workers advocate for access to healthcare services, mental health treatment, social welfare benefits, legal assistance, and rehabilitation resources. Advocacy efforts help ensure that victims receive the support necessary for recovery and reintegration (IFSW, 2024).
- **Discharge Planning and Community Reintegration:** Reintegration into family and community life represents a critical stage of rehabilitation. Medical social workers develop discharge plans that address housing, employment, education, healthcare follow-up, and social support needs. They also work with community stakeholders to reduce stigma and facilitate successful reintegration of victims into society (Payne, 2021).
- **Economic Empowerment and Resource Mobilization:** Medical social workers connect victims

to government programmes, non-governmental organizations, vocational training opportunities, and financial assistance schemes. Such interventions enhance economic independence and reduce vulnerability to future hardships.

3.0 THEORETICAL FRAMEWORK

1. Psychosocial Theory

This paper is anchored on Erikson's Psychosocial Theory, which emphasizes the interaction between psychological development and social experiences throughout life (Erikson, 1968). Traumatic events such as kidnapping and banditry disrupt an individual's sense of safety, trust, identity, and social relationships. The theory also explains how extreme violations of safety and social trust shatter an individual's psychological stability and alter their lifelong developmental trajectory. Trauma of this magnitude does not merely cause temporary distress; it fundamentally fractures the psychosocial resolutions an individual has achieved or is currently developing across their lifespan.

This theory emphasizes that Victims often develop profound trust issues, sometimes even being suspicious of family members who were unable to prevent the abduction. Furthermore, released victims, especially women and girls often face community stigmatization, adding to their social alienation.

Effective rehabilitation therefore requires interventions that address both psychological distress and social functioning.

2. Strengths-Based Perspective

The strengths-based perspective emphasizes individuals' capacities, resilience, and potential rather than focusing solely on deficits and pathology (Saleebey, 2013). The strengths-based perspective on traumatic events like kidnapping and banditry reframes re-

covery from managing "brokenness" to cultivating inherent resilience. Rather than focusing purely on pathologies or deficits, this approach empowers survivors by identifying and leveraging their personal strengths, past coping mechanisms, and external support systems to foster healing.

Medical social workers employ this approach to empower victims, build resilience, and facilitate recovery. Medical social workers ensure that survivors are treated as active collaborators in their healing process rather than passive victims. This restores a sense of agency that was stripped away during the traumatic event. Furthermore, social workers may leverage on community Support by mapping out and utilizing their social support networks such as family, community, or religious ties, which have been shown to drastically reduce the likelihood of long-term Post-Traumatic Stress Disorder (PTSD).

4.0 METHODOLOGY

This paper adopts a qualitative and exploratory approach based on a review of existing literature. Secondary data were obtained from peer-reviewed journal articles, books, government publications, reports from international organizations, and relevant policy documents.

The study utilizes content analysis to examine the psychosocial consequences of kidnapping and banditry and the role of medical social workers in victim rehabilitation. The qualitative approach is considered appropriate because it enables an in-depth understanding of complex psychosocial issues affecting victims.

5.0 DISCUSSION

The findings from the reviewed literature reveal that kidnapping and banditry exert profound psychosocial effects on victims. These effects extend beyond im-

mediate physical injuries and include long-term psychological trauma, social disruption, reduced trust, difficulties in community reintegration and economic hardship (Isma'il & Ibrahim, 2024; Alokun & Atafo, 2023).

The findings also reveal that prolonged captivity, exposure to violence, and uncertainty regarding survival significantly increase the risk of psychological disorders. Victims may experience intrusive thoughts, heightened arousal, avoidance behaviors, emotional numbness, and disruptions in daily functioning (Yehuda et al., 2015).

The review further indicates that medical social workers occupy a unique position within healthcare systems because they address both the psychological and social dimensions of victim recovery. Through counseling, psychosocial assessment, crisis intervention, advocacy, family support, and care coordination, medical social workers facilitate holistic rehabilitation (Payne, 2021; Barker, 2014).

However, the effectiveness of these interventions is constrained by inadequate funding, shortage of trained personnel, weak institutional frameworks, and limited access to mental health services. Consequently, many victims fail to receive the comprehensive support necessary for complete recovery.

The findings underscore the need for a multidisciplinary rehabilitation framework involving medical social workers, psychologists, psychiatrists, healthcare professionals, security agencies, and community organizations.

Policy Implications

The findings of this study have several policy implications:

1. Government should establish specialized rehabilitation centres for victims of kidnapping and banditry.

2. Medical social work services should be integrated into emergency response and trauma care systems nationwide.
3. Mental health and psychosocial support services should be included in national security and humanitarian response frameworks.
4. Professional training programmes should be expanded to enhance the capacity of medical social workers in trauma-informed care.
5. Legislative frameworks should recognize rehabilitation as an essential component of victim support services.
6. Sustainable funding mechanisms should be created to support psychosocial rehabilitation programmes.

Practical Implications for Medical Social Work Practice

The study highlights the need for:

- i. Trauma-informed care models in healthcare facilities.
- ii. Comprehensive psychosocial assessments for survivors.
- iii. Family-centered rehabilitation programmes.
- iv. Community-based reintegration initiatives.
- v. Interdisciplinary collaboration among healthcare professionals.
- vi. Continuous professional development for medical social workers.
- vii. Establishment of support groups for survivors.
- viii. Increased advocacy for victims' rights and welfare.

Areas for Future Research

Future studies should:

1. Conduct empirical investigations into the experiences of survivors of kidnapping and banditry.
2. Examine the effectiveness of existing rehabilitation programmes in Nigeria.
3. Explore community perceptions of victim reintegration.
4. Assess the role of medical social workers in post-conflict recovery settings.
5. Investigate gender-specific rehabilitation needs among victims.

6.0 RECOMMENDATIONS

1. Government should integrate medical social work services into all trauma and emergency healthcare facilities.
2. More medical social workers should be recruited and trained in trauma-informed care.
3. Mental health services should be strengthened within healthcare institutions.
4. Specialized rehabilitation centres for victims of kidnapping and banditry should be established nationwide.
5. Community awareness campaigns should be conducted to reduce stigma against survivors.
6. Multidisciplinary collaboration should be institutionalized in victim rehabilitation programmes.
7. Policies should recognize medical social workers as key professionals in post-trauma recovery and victim support systems.
8. Sustainable funding mechanisms should be developed to support rehabilitation services.

7.0 CONCLUSION

Kidnapping and banditry constitute significant public health and social welfare challenges with far-reaching psychosocial consequences for victims. Beyond physical rescue, survivors require comprehensive rehabilitation to address the psychological, social, economic, and health-related effects of their experiences. Medical social workers play a pivotal role in this process through psychosocial assessment, counseling, crisis intervention, family support, advocacy, care coordination, and community reintegration. Strengthening medical social work services within Nigeria's healthcare system will significantly enhance recovery outcomes and promote the successful rehabilitation of victims of kidnapping and banditry.

CONFLICT OF INTERESTS

The author has no conflicts of interest to declare. Please ensure every paper has this just before the reference list.

REFERENCES

- Aloku, C. O., & Atafo, D. (2023). Assessing the extent of post-traumatic-stress disorder from kidnapping experience of 5 victims and their significant others in Kaduna metropolis, Kaduna State, Nigeria. *American Journal of Psychology*, 5(1), 29–43. <https://doi.org/10.47672/ajp.1388>
- Asuquo, M. E. (2009). The upsurge of kidnapping and its influence on public order in Akwa Ibom State. Unpublished Paper, Department of Sociology/Anthropology, University of Uyo, Uyo, Akwa Ibom State, Nigeria
- Barker, R. L. (2014). *The social work dictionary* (6th ed.). NASW Press.
- Dettmers S. Gesundheitsbezogene Soziale Arbeit und soziale Teilhabe. *RP Reha.* (2018) 1:5–10
- Ede V. Brian E & Asuquo F. (2026). Sociological Dimension of Health Exclusion and Social Workers' Contributions to Strengthening Rural Health System in Bakassi Local Government Area of Cross River State. *Benue Journal of Sociology (BJS)*. Volume 13, Issue 3, 2026
- Ede V. Brian E & Asuquo F. (2026). Reimagining Education in Crisis Zone: Evaluating Remote Learning as a Sustainable Alternative in Insecurity Affected Communities. *Global Nexus Journal of Multidisciplinary Research (GN-JMR)*. Volume 1, No 2, pg 117 – 127
- Erikson, E. H. (1968). *Identity: Youth and crisis*. W.W. Norton.
- Gehlert S, Andrews C, Browne T. Establishing the place of health social work. *Health Soc Work.* (2019) 44:69–71. [10.1093/hsw/hlz011](https://doi.org/10.1093/hsw/hlz011)
- International Federation of Social Workers. (2024). *Global definition of social work*.
- Isma'il, A., & Ibrahim, H. B. (2024). Psychological impact of kidnapping on social reintegration and academic pursuits of female undergraduates in Zamfara State. *Academic Journal of Psychology and Counseling*, 6(1), 29–58. <https://doi.org/10.22515/ajpc.v6i1.9494>
- Kim G, (2025). Psychological Consequences of Victimization. *J Foren Psy.* 10:395.
- Nasir Abdulraheem Muhammad, Ishak Abdulmalik and Anas Aliyu Jobe. Psychological Effects of Kidnapping and Banditry on Teaching and Learning in Tertiary Institution in North-West Region of Nigeria. *International Journal of Scientific Research in Education*, JANUARY 2023, Vol. 16(1), 1-13
- National Bureau of Statistics. (2024). *Crime experience and security perception survey*. Abuja: NBS.
- Nigeria Watch. (2011). *Third report on violence in Nigeria (2006-2011)*. A publication of Nigeria Watch, June 2011.
- Okoli, A. C., & Lenshie, N. E. (2018). Nigeria: Nomadic migrancy and rural violence. *Conflict Studies Quarterly*, 25, 68–85. <https://doi.org/10.24193/cs.q.25.4>
- Okoli, A. C., & Okpaleke, F. N. (2014). Banditry and crisis of public safety in Nigeria: Issues in national security strategies. *European Scientific Journal*, 10(4), 350-62
- Payne, M. (2021). *Modern social work theory* (5th ed.). Oxford University Press.
- Roberts, A. R. (2017). *Crisis intervention handbook* (4th ed.). Oxford University Press.
- Saleebey, D. (2013). *The strengths perspective in social work practice* (6th ed.). Pearson.
- Shalangwa, M. W. (2013). *The nature and conse-*

quences of armed banditry in border communities of Adamawa State, Nigeria. M.Sc. thesis submitted to the School of PostGraduate Studies, Ahmadu Bello University, Zaria, Nigeria.

United Nations Development Programme. (2022). Human development report. UNDP.

United Nations Office on Drugs and Crime. (2023). Global study on kidnapping and organized crime. UNODC.

World Health Organization. (2022). Mental health and psychosocial support in emergencies. WHO.

Yehuda R, Hoge CW, McFarlane AC, Vermetten E, Lanius RA, et, al. Post-traumatic stress disorder. Nature reviews Disease primers. 2015;1(1):1-22.



**INTERNATIONAL JOURNAL OF
SOCIAL WORK AND DEVELOPMENT
STUDIES**



International Journal of Social Work and Development Studies (IJSWDS)



PUBLISHED BY PARAKLETUS PUBLISHING

**CONTACT US @
dsw@ust.edu.ng**

